

## MATERIAL SAFETY DATA SHEET - MSDS

# Efficacious Ingredients \* Hygienically Stored & Processed \* Convenient Deliveries

| Product Name: LAVENDER 40/42 OIL                            |
|---|
| INCI: Lavandula Angustifolia                                |
| CAS number: N/A   |
| EINECS number:  |
| Recommended Use: Raw Material for Topical Cosmetic Products |
| Supplier: Skin Foodie                                       |
| 21, Joel Ogunnaike Street, GRA, Ikeja Lagos, Nigeria        |
| <b>Telephone No</b> . +234-908-269 -8013                    |
| Email: Hello@skinfoodie.com.ng                              |
| SECTION 1: IDENTIFICATION                                   |
| 1.1. Identification   |
| Product form Mixture  |
| Product name LAVENDER 40/42 OIL                             |
| CAS-No. N/A   |
| 1.2. Recommended use and restrictions on use                |
|   |
| 1.3. Supplier   |
| SKIN FOODIE   |
| 1.4. Emergency telephone number                             |

Emergency number

: CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010

## SECTION 2 : HAZARD(S) IDENTIFICATION

#### 2.1. Classification of the substance or mixture

#### GHS US classification

Flammable liquids Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Skin sensitization, Category 1 Specific target organ toxicity (single exposure) Category 2 Combustible liquid Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction May cause damage to organs

2.2. GHS Label elements, including precautionary statements GHS US labeling Hazard pictograms (GHS US) GHS07 GHS08 Signal word (GHS US) : Warning Hazard statements (GHS US) : Combustible liquid Causes skin irritation May cause an allergic skin reaction Causes serious eye irritation May cause damage to organs Keep away from heat, hot surfaces, sparks, open Precautionary statements (GHS US) flames and other ignition sources. No smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Avoidbreathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If on skin: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Call a poison center or doctor. Specific treatment (see supplemental first aid instruction on this label). If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. irritation persists: medical If eye Get advice/attention.

Take off contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

In case of fire: Use media other than water to extinguish.

Store in a well-ventilated place. Keep cool. Store locked up.

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

| 3.1. | Substances |
|------|------------|
|      |            |

Not applicable

| Not applicable  |                    |         |   |
|-----------------|--------------------|---------|---|
| 3.2. Mixtures   |                    |         |   |
| Name            | Product identifier | %       | GHS US classification   |
| LINALYL ACETATE | (CAS-No.) 115-95-7 | 25 - 50 | Flam. Liq. 4, H227<br>Skin Irrit. 2, H315<br>Eye Irrit. 2B, H320<br>Skin Sens. 1B, H317   |
| LINALOOL        | (CAS-No.) 78-70-6  | 25 - 50 | Flam. Liq. 4, H227<br>Skin Irrit. 2, H315<br>Eye Irrit. 2A, H319<br>Skin Sens. 1B, H317   |
| CAMPHOR         | (CAS-No.) 76-22-2  | 1 – 5   | Flam. Sol. 2, H228<br>Acute Tox. 4 (Oral), H302<br>Acute Tox. 4 (Inhalation),<br>H332<br>Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>STOT SE 2, H371 |
| EUCALYPTOL      | (CAS-No.) 470-82-6 | 1 – 5   | Flam. Liq. 3, H226<br>Eye Irrit. 2B, H320<br>Skin Sens. 1B, H317  |

(CAS-No.) 562-74-3 1 – 5

GERANIOL

(CAS-No.) 106-24-1

Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H336 Skin Irrit. 2, H315

Eye Dam. 1, H318 Skin Sens. 1, H317

0.1 – 1

Full text of hazard classes and H-statements: see section 16

## **SECTION 4: FIRST AID MEASURES**

| 4.1. Description of first aid measure | 2S   |
|---------------------------------------|--|
| First-aid measures general            | : Call a physician immediately.  |
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing.   |
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.                         |
| First-aid measures after eye contact  | : Call a physician immediately. Rinse cautiously with water<br>for several minutes. Remove contact<br>lenses, if present and easy to do. Continue rinsing. |
| First-aid measures after ingestion    | : Do not induce vomiting. Call a physician immediately.  |
| 4.2. Most important symptoms and      | effects (acute and delayed)  |
| Symptoms/effects after inhalation     | : Although no appropriate human or animal health effects<br>data are known to exist, this material is expected to be<br>an inhalation hazard.              |
| Symptoms/effects after skin contact   | : Irritation. May cause an allergic skin reaction.   |
| Symptoms/effects after eye contact    | : Serious damage to eyes. Eye irritation.  |
| Symptoms/effects after ingestion      | : Risk of lung edema.  |
| 4.3. Immediate medical attention a    | nd special treatment, if necessary   |

Treat symptomatically.

## **SECTION 5: FIRE-FIGHTING MEAURES**

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media

: Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

| 5.2. Specific hazards arising from t          | he chemical  |
|---|--|
| Fire hazard<br>Explosion hazard<br>Reactivity | <ul> <li>Combustible liquid.</li> <li>No direct explosion hazard.</li> <li>The product is non-reactive under normal conditions of use, storage and transport.</li> </ul> |
| 5.3. Special protective equipment a           | nd precautions for fire-fighters   |
| Firefighting instructions                     | : Fight fire from safe distance and protected location. Do<br>not enter fire area without proper protective equipment,<br>including respiratory protection.              |
| Protection during firefighting                | : Do not attempt to act without suitable protective<br>equipment. Self-contained breathing apparatus.<br>Complete protective clothing.                                   |

## SECTION 6: ACCIDENTAL RELEASE MEASURES

| 6.1. Personal precautions, protective | e equipment and emergency procedures  |
|---------------------------------------|---|
| General measures                      | : Stop leak if safe to do so. Notify authorities if product<br>enters sewers or public waters. Absorb spillage to prevent<br>material-damage              |
| 6.1.1. For non-emergency personnel    |   |
| Protective equipment                  | : Wear recommended personal protective equipment.   |
| Emergency procedures                  | : Ventilate spillage area. Do not breathe<br>dust/fume/gas/mist/vapors/spray. Avoid contact with skin<br>and eyes.  |
| 6.1.2. For emergency responders       |   |
| Protective equipment                  | • Do not attempt to act without suitable protective<br>equipment. For further information refer to section 8:<br>"Exposure controls/personal protection". |
| Emergency procedures                  | : Evacuate unnecessary personnel. Stop leak if safe to do so.   |
| 6.2. Environmental precautions        |   |
| Avoid release to the environment      |   |

Avoid release to the environment.

# 6.3. Methods and material for containment and cleaning up

For containment

: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. Methods for cleaning up

: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

Other information

: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

## **SECTION 7: HANDLING AND STORAGE**

| 7.1. Precautions for safe handling                              |  |
|---|--|
| Additional hazards when processed                               | : Not expected to present a significant hazard under anticipated conditions of normal use.   |
| Precautions for safe handling<br>Hygiene measures               | <ul> <li>Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.</li> <li>Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul> |
| 7.2. Conditions for safe storage, in                            | cluding any incompatibilities  |
| Technical measures<br>Storage conditions<br>Packaging materials | <ul> <li>Keep in a cool, well-ventilated place away from heat.</li> <li>Store in a well-ventilated place. Keep cool. Store locked up.</li> <li>Store always product in container of same material as original container.</li> </ul>  |

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

## LAVENDER 40/42 OIL (N/A)

No additional information available

LINALYL ACETATE (115-95-7)

No additional information available

## CAMPHOR (76-22-2)

No additional information available

LINALOOL (78-70-6) No additional information available EUCALYPTOL (470-82-6) No additional information available

#### 4-TERPINEOL (562-74-3)

No additional information available

#### GERANIOL (106-24-1)

No additional information available

#### 8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls

- : Ensure good ventilation of the workstation.
- : Avoid release to the environment.

#### 8.3. Individual protection measures/Personal protective equipment

### Personal protective equipment:

Wear recommended personal protective equipment.

## Hand protection:

Protective gloves

# Eye protection:

Safety glasses

# Skin and body protection:

Wear suitable protective clothing

## **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment



# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

| 9.1. Information on basic physical and c    | hemical properties                                    |
|---|---|
| Physical state                              | : Liquid  |
| Colour                                      | : Colourless To Yellow                                |
| Odour:                                      | :Characteristic Fresh, Sweet, Herbaceous-Floral scent |
| Odour threshold                             | : No data available                                   |
| pH:   | : No data available                                   |
| Melting point                               | : Not applicable                                      |
| Freezing point range:                       | : No data available                                   |
| Boiling point                               | : No data available                                   |
| Flash point:                                | : 68.9 °C   |
| Relative evaporation rate (butyl acetate=1) | : No data available                                   |
| Flammability                                | : Not applicable.                                     |
| Vapor pressure:                             | : No data available                                   |
| Relative vapor density at 20°C              | : No data available                                   |
| Relative density: : 0.8                     | 86 (0.876 - 0.896)                                    |
|   | 7   |

| Solubility<br>Partition coefficient n-octanol/water<br>(Log Pow) | : Insoluble.<br>: No data available |
|--|-------------------------------------|
| Auto-ignition temperature  | : No data available                 |
| Decomposition temperature  | : No data available                 |
| Viscosity, kinematic   | : No data available                 |
| Viscosity, dynamic   | : No data available                 |
| Explosion limits   | : No data available                 |
| Explosive properties   | : No data available                 |
| Oxidizing properties   | : No data available                 |

| 9.2. Other information          |                                      |  |
|---------------------------------|--------------------------------------|--|
| Refractive index<br>VOC Content | $: 1.458 (1.448 - 1.468) \\ 23.45\%$ |  |

#### SECTION 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) Not classifiedNot classifiedNot classified

#### CAMPHOR (76-22-2)

ATE US (oral) ATE US (gases) ATE US (vapors) 1500 mg/kg body weight 4500 ppmV/4h 11 mg/l/4h

| ATE US (dust, mist)   | 1.5 mg/l/4h  |
|---|--|
| LINALOOL (78-70-6)  |  |
| ATE US (oral)   | 2790 mg/kg body weight   |
| EUCALYPTOL (470-82-6)   |  |
| LD50 oral rat   | 4500 mg/kg body weight (OECD 401: Acute Oral Toxicity,<br>Rat, Male / female, Experimental value, Oral, 14 day(s))   |
| LD50 dermal rat   | > 2000 mg/kg body weight (OECD 402: Acute Dermal<br>Toxicity, 24 h, Rat, Male / female, Experimental value,<br>Dermal, 15 day(s))  |
| ATE US (oral)   | 2480 mg/kg body weight   |
| 4-TERPINEOL (562-74-3)  |  |
| ATE US (oral)   | 1300 mg/kg body weight   |
| ATE US (dermal)   | 2500 mg/kg body weight   |
| ATE US (gases)  | 700 ppmV/4h  |
| 4-TERPINEOL (562-74-3)  |  |
| ATE US (vapors)   | 3 mg/l/4h  |
| ATE US (dust, mist)   | 0.5 mg/l/4h  |
| GERANIOL (106-24-1)   |  |
| ATE US (oral)   | 3600 mg/kg body weight   |
| Skin corrosion/irritation   | : Causes skin irritation.  |
| Serious eye damage/irritation   | : Causes serious eye irritation.   |
| Respiratory or skin sensitization   | : May cause an allergic skin reaction.   |
| Germ cell mutagenicity  | : Not classified   |
| Carcinogenicity   | : Not classified   |
| Reproductive toxicity<br>STOT-single exposure   | : Not classified<br>: May cause damage to organs.  |
|   | . May cause damage to organs.  |
| CAMPHOR (76-22-2)   |  |
| STOT-single exposure  | May cause damage to organs.  |
| 4-TERPINEOL (562-74-3)  |  |
| STOT-single exposure<br>STOT-repeated exposure  | May cause drowsiness or dizziness.<br>: Not classified   |
| EUCALYPTOL (470-82-6)   |  |
| NOAEL (oral,rat,90 days)  | 600 mg/kg body weight Animal: rat, Animal sex: female,<br>Guideline: other:, Guideline: OECD Guideline 407<br>(Repeated Dose 28-Day Oral Toxicity Study in Rodents),<br>Guideline: EPA OPPTS 870.3150 (90-Day Oral Toxicity in<br>Non-rodents)   |
| Aspiration hazard<br>Viscosity, kinematic<br>Symptoms/effects after inhalation<br>Symptoms/effects after skin contact<br>Symptoms/effects after eye contact<br>Symptoms/effects after ingestion | <ul> <li>Not classified</li> <li>No data available</li> <li>Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.</li> <li>Irritation. May cause an allergic skin reaction.</li> <li>Serious damage to eyes. Eye irritation.</li> <li>Risk of lung edema.</li> </ul> |

# SECTION 12: ECOLOGICAL INFORMATION

| 12.1. Toxicity  |   |
|---|---|
| Ecology - general   | : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.  |
| EUCALYPTOL (470-82-6)   |   |
| LC50 - Fish [1]   | 57 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h,<br>Oncorhynchus mykiss, Semi-static system, Fresh water,<br>Experimental value, Nominal concentration)              |
| EC50 - Crustacea [1]  | > 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation<br>Test, 48 h, Daphnia magna, Static system, Fresh water,<br>Experimental value, Locomotor effect)               |
| ErC50 algae   | > 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h,<br>Pseudokirchneriella subcapitata, Static system, Fresh water,<br>Experimental value, Nominal concentration) |
| 12.2. Persistence and degradability   |   |
|   |   |
| EUCALYPTOL (470-82-6)   |   |
| Persistence and degradability   | Readily biodegradable in water.   |
| 12.3. Bioaccumulative potential   |   |
|   |   |
| EUCALYPTOL (470-82-6)   |   |
| BCF - Other aquatic organisms [1]<br>Partition coefficient n-octanol/water<br>(Log Pow) | <ul><li>112 l/kg (Literature study, Fresh weight)</li><li>3.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)</li></ul>            |
| Bioaccumulative potential   | Low potential for bioaccumulation (Log Kow $<$ 4).  |
| 12.4. Mobility in soil  |   |
| 12.4. Moonity in son  |   |
| EUCALYPTOL (470-82-6)   |   |
| Surface tension   | 61.5 mN/m (20 °C, 1 g/l, EU Method A.5: Surface tension)  |
| Organic Carbon Normalized   | 2.33 (log Koc, OECD 121: Estimation of the Adsorption   |
| Adsorption Coefficient (Log Koc)  | Coefficient (Koc) on Soil and on Sewage Sludge using High<br>Performance Liquid Chromatography (HPLC), Experimental<br>value)   |
| Ecology - soil  | Low potential for adsorption in soil.   |
| 12.5. Other adverse effects   |   |
| 12.5. Other adverse effects<br>No additional information available                      |   |
|   |   |

# SECTION 13: DISPOSAL CONSIDERATIONS

| 13.1. Disposal methods                     |   |
|--|---|
| Regional waste regulation                  | : Disposal must be done according to official regulations.                                    |
| Waste treatment methods                    | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Sewage disposal recommendations            | : Disposal must be done according to official regulations.                                    |
| Product/Packaging disposal recommendations | : Disposal must be done according to official regulations.                                    |
| Additional information                     | : Do not re-use empty containers.   |

### **SECTION 14: TRANSPORT INFORMATION**

Department of Transportation (DOT)

In accordance with DOT Transport document description (DOT)

UN-No.(DOT)

Proper Shipping Name (DOT)

Class (DOT)

Packing group (DOT)

DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)

DOT Special Provisions (49 CFR 172.102)



DOT Packaging Exceptions (49 CFR 173.xxx)

DOT Quantity Limitations Passenger : 60 L aircraft/rail (49 CFR 173.27)

: UN1266 Perfumery products (Regulated for Bulk only), Comb Liq, III

: UN1266

- : Perfumery products
- : Comb Liq Combustible liquid
- : III Minor Danger

: 203

: 242

: B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T2 - 1.5 178.274(d)(2) Normal 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

: 150

| DOT Quantity Limitations Cargo<br>aircraft only (49 CFR 175.75) | : 220 L   |
|---|---|
| DOT Vessel Stowage Location                                     | : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. |
| Emergency Response Guide (ERG)<br>Number                        | : 127   |
| Other information   | : No supplementary information available.   |
| Transportation of Dangerous Goods<br>Not regulated              |   |

Transport by sea Not regulated

Air transport Not regulated

### **SECTION 15: REGULATORY INFORMATION**

## 15.1. US Federal regulations

No additional information available

#### 15.2. International regulations

CANADA

#### LINALYL ACETATE (115-95-7)

Listed on the Canadian DSL (Domestic Substances List)

CAMPHOR (76-22-2)

Listed on the Canadian DSL (Domestic Substances List)

#### LINALOOL (78-70-6)

Listed on the Canadian DSL (Domestic Substances List)

### EUCALYPTOL (470-82-6)

Listed on the Canadian DSL (Domestic Substances List)

### 4-TERPINEOL (562-74-3)

Listed on the Canadian DSL (Domestic Substances List)

#### EU-Regulations No additional information available

National regulations

| LINALYL ACETATE (11  | .5-95-7)  |  |
|--|---|--|
| Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active<br>Listed on INSQ (Mexican National Inventory of Chemical Substances) |   |  |
| CAMPHOR (76-22-2)  |   |  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active<br>Listed on INSQ (Mexican National Inventory of Chemical Substances) |   |  |
| LINALOOL (78-70-6)   |   |  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active<br>Listed on INSQ (Mexican National Inventory of Chemical Substances) |   |  |
| EUCALYPTOL (470-82-0   | 5)  |  |
| Listed on the United State   | s TSCA (Toxic Substances Control Act) inventory - Status: Active<br>National Inventory of Chemical Substances)  |  |
| 4-TERPINEOL (562-74-3  |   |  |
|  | s TSCA (Toxic Substances Control Act) inventory - Status: Active<br>National Inventory of Chemical Substances)  |  |
| 15.3. US State regulation  | 18  |  |
| ▲WARNING:  | This product can expose you to hexane - impurity, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. |  |
| WARNING:   | This product can expose you to beta-myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.  |  |
| Component  | State or local regulations  |  |
| CAMPHOR(76-22-2)   | U.S Massachusetts - Right To Know List; U.S New Jersey - Right to<br>Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to<br>Know) List  |  |
| SECTION 16: OTHER INFORMATION  |   |  |
|  |   |  |
| Pavision data  | · 05/02/2024  |  |

| Revision date           | : 05/02/2024                        |
|-------------------------|-------------------------------------|
| Full text of H-phrases: |                                     |
| H226                    | Flammable liquid and vapor          |
| H227                    | Combustible liquid                  |
| H228                    | Flammable solid                     |
| H302                    | Harmful if swallowed                |
| H315                    | Causes skin irritation              |
| H317                    | May cause an allergic skin reaction |
| H318                    | Causes serious eye damage           |
| H319                    | Causes serious eye irritation       |
|                         |                                     |

| H320 | Causes eye irritation             |
|------|-----------------------------------|
| H331 | Toxic if inhaled                  |
| H332 | Harmful if inhaled                |
| H336 | May cause drowsiness or dizziness |
| H371 | May cause damage to organs        |

#### DISCLAIMER

Technical information and suggestions for use including any formulations and / or procedures are believed to be correct. However, this does not constitute a guarantee of the accuracy of the information contained herein. Confirming tests in your own laboratory or facility are recommended. This information is for general research purposes only and is not a representation or warranty of any kind. It is the user's responsibility to satisfy himself as to the suitability & completeness of such information for his own particular use. The information contained in this certificate of analysis and material safety data sheet are obtained from current and reliable sources. As the use(s) of this product is outside the control of skin foodie, no representation or warranty, expressed or implied is made as to the effect(s) of such use(s) (including damage or injury), or the results obtained.

Skin Foodie assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of use.

21, Joel Ogunnaike Street Ikeja GRA, Lagos, Nigeria. Tel +234 908-269-8013