

MATERIAL SAFETY DATA SHEET - MSDS

Efficacious Ingredients * Hygienically Stored & Processed * Convenient Deliveries

Product Name: PINK GRAPEFRUIT ESSENTIAL OIL

INCI:

CAS number: N/A

EINECS number:

Recommended Use: Raw Material for Topical Cosmetic Products

Supplier: Skin Foodie

21, Joel Ogunnaike Street, GRA, Ikeja Lagos, Nigeria

Telephone No. +234-908-269 -8013

Email: Hello@skinfoodie.com.ng

SECTION 1: IDENTIFICATION


1.1. Identification
Product form : Substance
Product name : PINK GRAPEFRUIT ESSENTIAL OIL
CAS-No. : 8016-20-4
Product code : 50-6140-02
1.2. Recommended use and restrictions on use
1.3. Supplier
SKIN FOODIE
1.4. Emergency telephone number
Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010

SECTION 2 : HAZARD(S) IDENTIFICATION

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 3 Skin corrosion/irritation Category 2 Skin sensitization, Category 1 Aspiration hazard Category 1 Flammable liquid and vapor Causes skin irritation May cause an allergic skin reaction May be fatal if swallowed and enters airways



If skin irritation occurs: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

In case of fire: Use media other than water to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances			
Name	Product identifier	%	GHS US classification
GRAPEFRUIT OIL Full text of hazard classes an	(CAS-No.) 8016-20-4 d H-statements : see section 16	100	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
3.2. Mixtures			
Not applicable			

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measure	S
First-aid measures general First-aid measures after inhalation	Call a physician immediately.Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and	effects (acute and delayed)
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: Risk of lung edema.
4.3. Immediate medical attention a	nd special treatment, if necessary
Treat symptomatically.	
SECTION 5: FIRE-FIGHTING MEA	
SECTION 5: FIRE-FIGHTING MEA 5.1. Suitable (and unsuitable) extin	guishing media
SECTION 5: FIRE-FIGHTING MEA	
SECTION 5: FIRE-FIGHTING MEA 5.1. Suitable (and unsuitable) extin Suitable extinguishing media	guishing media : Water spray. Dry powder. Foam. Carbon dioxide. : Do not use a heavy water stream.
SECTION 5: FIRE-FIGHTING MEA 5.1. Suitable (and unsuitable) extin Suitable extinguishing media Unsuitable extinguishing media	guishing media : Water spray. Dry powder. Foam. Carbon dioxide. : Do not use a heavy water stream.
SECTION 5: FIRE-FIGHTING MEA 5.1. Suitable (and unsuitable) extin Suitable extinguishing media Unsuitable extinguishing media 5.2. Specific hazards arising from t Fire hazard Explosion hazard	guishing media : Water spray. Dry powder. Foam. Carbon dioxide. : Do not use a heavy water stream. the chemical : Flammable liquid and vapor. : No direct explosion hazard.
SECTION 5: FIRE-FIGHTING MEA 5.1. Suitable (and unsuitable) extin Suitable extinguishing media Unsuitable extinguishing media 5.2. Specific hazards arising from t Fire hazard	guishing media : Water spray. Dry powder. Foam. Carbon dioxide. : Do not use a heavy water stream. the chemical : Flammable liquid and vapor.
SECTION 5: FIRE-FIGHTING MEA 5.1. Suitable (and unsuitable) extin Suitable extinguishing media Unsuitable extinguishing media 5.2. Specific hazards arising from t Fire hazard Explosion hazard Reactivity	guishing media : Water spray. Dry powder. Foam. Carbon dioxide. : Do not use a heavy water stream. the chemical : Flammable liquid and vapor. : No direct explosion hazard.
SECTION 5: FIRE-FIGHTING MEA 5.1. Suitable (and unsuitable) extin Suitable extinguishing media Unsuitable extinguishing media 5.2. Specific hazards arising from t Fire hazard Explosion hazard Reactivity	 iguishing media Water spray. Dry powder. Foam. Carbon dioxide. Do not use a heavy water stream. iche chemical ichammable liquid and vapor. icho direct explosion hazard. ichammable liquid and vapor.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protectiv	e equipment and emergency procedures
General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage
6.1.1. For non-emergency personnel	

Protective equipment

: Wear recommended personal protective equipment.

Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for conta	uinment and cleaning up
For containment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and

: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.

Methods for cleaning up

Other information

Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling	
Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling	: Ensure good ventilation of the workstation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures Storage conditions

- : Ground/bond container and receiving equipment.
- : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Packaging materials

: Store always product in container of same material as original container.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

GRAPEFRUIT OIL (8016-20-4)

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls

- : Ensure good ventilation of the workstation.
- : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physica	l and chemical properties
Physical state	: Liquid
Colour	: Yellow-Orange, Orange to Reddish-Orange Liquid
Odour:	: Fresh, Citrus-Like Liquid
Odour threshold	: No data available
pH:	: No data available
Melting point	: Not applicable

Freezing point	: No data available
Boiling point	: 160 °C Atm. press.: 1019 hPa Remarks on result: 'other:'
Flash point:	: 48 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: Not applicable.
Vapor pressure:	: 195.4 Pa Temp.: 25 °C Remarks on result: 'other:'
Relative vapor density at 20°C	: No data available
Relative density:	: 0.8505 (0.84 – 0.857)
Density	: 0.8529 g/cm ³ Type: 'density' Temp.: 20 °C Remarks on result: 'other:'
Solubility	: Insoluble.
Partition coefficient n-octanol/water	: No data available
(Log Pow)	
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2.	Other information	
VOC o	content	
Refrac	tive index	

: 82.1 % : 1.476 (1.471 – 1.482)

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity
Flammable liquid and vapor.
10.2. Chemical stability
No additional information available
10.3. Possibility of hazardous reactions
No additional information available
10.4. Conditions to avoid
Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	: Not classified : Not classified : Not classified
GRAPEFRUIT OIL (8016-20-4)	
LD50 oral rat	> 5000 mg/kg body weight Animal: rat, Animal sex: male,
LD50 dermal rabbit	Guideline: OECD Guideline 401 (Acute Oral Toxicity) > 5000 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.
Viscosity, kinematic	: No data available
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: Risk of lung edema.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - general

: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Disposal methods Regional waste regulation Waste treatment methods

Sewage disposal recommendations Product/Packaging disposal recommendations Additional information

- : Disposal must be done according to official regulations.
- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Disposal must be done according to official regulations.
- : Disposal must be done according to official regulations.
- : Flammable vapors may accumulate in the container. Do not re-use empty containers.

SECTION 14: TRANSPORT INFORMATION

Department of Transportation (DOT)

In accordance with DOT Transport document description (DOT) UN-No.(DOT) Proper Shipping Name (DOT) Class (DOT)

Packing group (DOT)

Hazard labels (DOT)

- : UN1197 Extracts, flavoring, liquid (Regulated for Bulk only), 3, III
- : UN1197
- : Extracts, flavoring, liquid (Regulated for Bulk only)
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : III Minor Danger
- : 3 Flammable liquid



DOT Packaging Non Bulk (49 CFR : 203 173.xxx) DOT Packaging Bulk (49 CFR : 242 173.xxx) DOT Special Provisions (49 CFR 172.102)

DOT Packaging Exceptions (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)

DOT Vessel Stowage Location

Emergency Response Guide (ERG) Number Other information

Transportation of Dangerous Goods

Transport document description (TDG) UN-No. (TDG) Proper Shipping Name (TDG) TDG Primary Hazard Classes Packing group (TDG) Explosive Limit and Limited Quantity Index Passenger Carrying Road Vehicle of Passenger

Transport by sea

Transport document description (IMDG) UN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG) Packing group (IMDG) Limited quantities (IMDG)

: B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2. 31HN2. 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal 178.275(d)(3) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. :150 :60 L :220 L : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. : 127

: No supplementary information available.

Goods	
tion	: UN1197 EXTRACTS, FLAVOURING, LIQUID (Regulated for Bulk only), 3, III
	: UN1197
(č	: EXTRACTS, FLAVOURING, LIQUID
s	: 3 - Class 3 - Flammable Liquids
	: III - Minor Danger
	: 5 L
chicle or	: 60 L
ion	: UN 1197 EXTRACTS, LIQUID, 3, III
DG)	: 1197 : EXTRACTS, LIQUID : 3 - Flammable liquids : III - substances presenting low danger : 5 L

Air transport

Transport document description (IATA) UN-No. (IATA) Proper Shipping Name (IATA) Class (IATA) Packing group (IATA) : UN 1197 Extracts, liquid, 3, III

: 1197

- : Extracts, liquid
- : 3 Flammable Liquids
- : III Low danger

SECTION 15: REGULATORY INFORMATION

15.1. US Federal regulations

GRAPEFRUIT OIL (8016-20-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

GRAPEFRUIT OIL (8016-20-4)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations



This product can expose you to furocoumarines (e. g. trioxysalen (inn), 8methoxypsoralen, 5-methoxypsoralen) except for normal content in natural essences used. in sunprotection and in bronzing products, furocoumarines shall be below This product can expose you to furocoumarines (e. g. trioxysalen (inn), 8-methoxypsoralen, 5-methoxypsoralen) except for normal content in natural essences used. in sunprotection and in bronzing products, furocoumarines shall be below

This product can expose you to beta-myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16: OTHER INFORMATION

Revision date Full text of H-phrases:	: 05/15/2024	
H226	Flammable liquid and vapor	
H304	May be fatal if swallowed and enters airways	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	

DISCLAIMER

Technical information and suggestions for use including any formulations and / or procedures are believed to be correct. However, this does not constitute a guarantee of the accuracy of the information contained herein. Confirming tests in your own laboratory or facility are recommended. This information is for general research purposes only and is not a representation or warranty of any kind. It is the user's responsibility to satisfy himself as to the suitability & completeness of such information for his own particular use. The information contained in this certificate of analysis and material safety data sheet are obtained from current and reliable sources. As the use(s) of this product is outside the control of skin foodie, no representation or warranty, expressed or implied is made as to the effect(s) of such use(s) (including damage or injury), or the results obtained.

Skin Foodie assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of use.

21, Joel Ogunnaike Street Ikeja GRA, Lagos, Nigeria. Tel +234 908-269-8013