

MATERIAL SAFETY DATA SHEET - MSDS

*Efficacious Ingredients * Hygienically Stored & Processed * Convenient Deliveries*

Product Name: LEATHER CEDERWOOD

INCI: Fragrance

CAS number: N/A

EINECS number:

Recommended Use: Raw Material for Topical Cosmetic Products

Supplier: Skin Foodie

21, Joel Ogunnaike Street, GRA, Ikeja Lagos, Nigeria

Telephone No. +234-908-269 -8013

Email : Hello@skinfoodie.com.ng

SECTION 1: IDENTIFICATION

1.1. Identification

Product form	Mixture
Product name	LEATHER CEDERWOOD
CAS-No.	N/A

1.2. Recommended use and restrictions on use

1.3. Supplier

SKIN FOODIE

1.4. Emergency telephone number

Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010

SECTION 2 : HAZARD(S) IDENTIFICATION

2.1. Classification of the substance or mixture

GHS US classification

Skin corrosion/irritation Category 2	Causes skin irritation
Serious eye damage/eye irritation Category 2	Causes serious eye irritation
Skin sensitization, Category 1	May cause an allergic skin reaction

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)

:



GHS07

Signal word (GHS US)

: Warning

Hazard statements (GHS US)

: Causes skin irritation
May cause an allergic skin reaction
Causes serious eye irritation

Precautionary statements (GHS US)

: Avoid breathing dust/fume/gas/mist/vapors/spray.
Wash hands, forearms and face thoroughly after handling.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
If on skin: Wash with plenty of water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Specific treatment (see supplemental first aid instruction on this label).
If skin irritation occurs: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Wash contaminated clothing before reuse.
Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances			
Not applicable			
3.2. Mixtures			
Name	Product identifier	%	GHS US classification
1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone	(CAS-No.) 54464-57-2	10 – 25	Skin Irrit. 2, H315 Skin Sens. 1B, H317
DIHYDROMYRCENOL	(CAS-No.) 18479-58-8	5 – 10	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H336
LINALYL ACETATE	(CAS-No.) 115-95-7	1 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Skin Sens. 1B, H317
2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	(CAS-No.) 28219-61-6	1 – 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
1-(2-tert.-Butyl cyclohexyloxy)-2-butanol	(CAS-No.) 139504-68-0	1 – 5	Eye Irrit. 2B, H320
LINALOOL	(CAS-No.) 78-70-6	1 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
3,7-Dimethyl-1,6-nonadien-3-ol	(CAS-No.) 10339-55-6	1 – 5	Flam. Liq. 4, H227 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
BENZYL BENZOATE	(CAS-No.) 120-51-4	1 – 5	Acute Tox. 4 (Oral), H302
D-LIMONENE	(CAS-No.) 5989-27-5	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
Allyl (cyclohexyloxy)acetate	(CAS-No.) 68901-15-5	1 – 5	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302
7-acetyl-1,1,3,4,4,6-hexamethyltetralin	(CAS-No.) 1506-02-1	1 – 5	Acute Tox. 4 (Oral), H302

CITRAL

(CAS-No.) 5392-40-5

0.1 – 1

Skin Irrit. 2, H315
Eye Irrit. 2A, H319
Skin Sens. 1, H317
STOT RE 2, H373

Full text of hazard classes and H-statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.

5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
- Protection during firefighting : Do not attempt to act without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.

6.1.1. For non-emergency personnel

- Protective equipment : Wear recommended personal protective equipment.
- Emergency procedures : Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to act without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
- Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible, without risk.
- Methods for cleaning up : Take up liquid spill into absorbent material.
- Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling	: Ensure good ventilation of the workstation. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Keep in a cool, well-ventilated place away from heat.
Storage conditions	: Keep cool. Protect from sunlight.
Packaging materials	: Store always product in container of same material as original container.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No additional information available

7-acetyl-1,1,3,4,4,6-hexamethyltetralin (1506-02-1)

No additional information available

2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol (28219-61-6)

No additional information available

CITRAL (5392-40-5)

USA - ACGIH - Occupational Exposure Limits

Local name	Citral
ACGIH OEL TWA	5 ppm (IFV - Inhalable fraction and vapor)
Remark (ACGIH)	TLV® Basis: Body weight eff; URT irr; eye dam. Notations: Skin; DSEN; A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2024

Allyl (cyclohexyloxy)acetate (68901-15-5)

No additional information available

DIHYDROMYRCENOL (18479-58-8)

No additional information available

3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)

No additional information available

BENZYL BENZOATE (120-51-4)

No additional information available

LINALOOL (78-70-6)

No additional information available

LINALYL ACETATE (115-95-7)

No additional information available

D-LIMONENE (5989-27-5)

No additional information available

1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone (54464-57-2)

No additional information available

1-(2-tert.-Butyl cyclohexyloxy)-2-butanol (139504-68-0)

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the workstation.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Pale yellow/amber to yellow/Amber
Odour:	: Characteristic, matching retainer sample
Odour threshold	: No data available
pH:	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point:	: 96 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: Not applicable.
Vapour pressure:	: No data available
Relative vapor density at 20°C	: No data available

Relative density:	: 0.931 (0.921 – 0.941)
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

Refractive index	: 1.468 (1.458 – 1.478)
------------------	-------------------------

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

7-acetyl-1,1,3,4,4,6-hexamethyltetralin (1506-02-1)

ATE US (oral)	1000 mg/kg body weight
---------------	------------------------

CITRAL (5392-40-5)	
LD50 oral rat	≈ 6800 mg/kg body weight Animal: rat
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Remarks on results: other:
Allyl (cyclohexyloxy)acetate (68901-15-5)	
ATE US (oral)	682 mg/kg body weight
DIHYDROMYRCENOL (18479-58-8)	
ATE US (oral)	3020 mg/kg body weight
3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)	
LD50 dermal rabbit	> 5000 mg/kg body weight Animal: rabbit, Guideline: other:
LC50 Inhalation - Rat	> 1 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other:
ATE US (oral)	5000 mg/kg body weight
BENZYL BENZOATE (120-51-4)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg bw/day (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal)
ATE US (oral)	1160 mg/kg body weight
LINALOOL (78-70-6)	
ATE US (oral)	2790 mg/kg body weight
D-LIMONENE (5989-27-5)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal, 7 day(s))
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
CITRAL (5392-40-5)	
NOAEL (chronic,oral,animal/male,2 years)	60 mg/kg body weight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
DIHYDROMYRCENOL (18479-58-8)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified

CITRAL (5392-40-5)

LOAEC (inhalation, rat, gas, 90 days)	68 ppm Animal: rat, Animal sex: female
NOAEL (oral, rat, 90 days)	100 mg/kg body weight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEC (inhalation, rat, gas, 90 days)	34 ppm Animal: rat, Animal sex: female
NOAEL (subchronic, oral, animal/male, 90 days)	60 mg/kg body weight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)

NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg body weight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
-------------------	--

CITRAL (5392-40-5)

LC50 - Fish [1]	6.78 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	6.8 mg/l Test organisms (species): Daphnia magna

3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)

LC50 - Fish [1]	24 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	23 mg/l Test organisms (species): Daphnia magna

BENZYL BENZOATE (120-51-4)

LC50 - Fish [1]	2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)

D-LIMONENE (5989-27-5)

LC50 - Fish [1]	720 µg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi- static system, Fresh water, Experimental value, GLP)
LC50 - Fish [2]	702 µg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [2]	0.51 mg/l Test organisms (species): Daphnia magna

12.2. Persistence and degradability**DIHYDROMYRCENOL (18479-58-8)**

Persistence and degradability Biodegradability in water: no data available.

BENZYL BENZOATE (120-51-4)

Persistence and degradability Readily biodegradable in water.

D-LIMONENE (5989-27-5)

Persistence and degradability Readily biodegradable in water.
ThOD 3.29 g O₂/g substance

12.3. Bioaccumulative potential**DIHYDROMYRCENOL (18479-58-8)**

Partition coefficient n-octanol/water (Log Pow) 3.47 (Estimated value)
Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).

BENZYL BENZOATE (120-51-4)

BCF - Fish [1] 193.4 l/kg (BCFBAF v3.01, Pisces, Calculated value)
Partition coefficient n-octanol/water (Log Pow) 3.97 (Experimental value, 25 °C)
Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).

D-LIMONENE (5989-27-5)

BCF - Fish [1] 864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight)
Partition coefficient n-octanol/water (Log Pow) 4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C)
Bioaccumulative potential Potential for bioaccumulation (4 ≤ Log Kow ≤ 5).

12.4. Mobility in soil**DIHYDROMYRCENOL (18479-58-8)**

Ecology - soil No (test) data on mobility of the substance available.

BENZYL BENZOATE (120-51-4)

Surface tension 27 mN/m (210 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc) 3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
Ecology - soil Low potential for mobility in soil.

D-LIMONENE (5989-27-5)

Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.049 – 3.801 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for mobility in soil.

12.5. Other adverse effects

No additional information available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Disposal methods

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.

SECTION 14: TRANSPORT INFORMATION

Department of Transportation (DOT)

In accordance with DOT
Not regulated

Transportation of Dangerous Goods

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

SECTION 15: REGULATORY INFORMATION

15.1. US Federal regulations

7-acetyl-1,1,3,4,4,6-hexamethyltetralin (1506-02-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol (28219-61-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

BENZYL BENZOATE (120-51-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

7-acetyl-1,1,3,4,4,6-hexamethyltetralin (1506-02-1)

Listed on the Canadian DSL (Domestic Substances List)

2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol (28219-61-6)

Listed on the Canadian DSL (Domestic Substances List)

CITRAL (5392-40-5)

Listed on the Canadian DSL (Domestic Substances List)

Allyl (cyclohexyloxy)acetate (68901-15-5)

Listed on the Canadian DSL (Domestic Substances List)

DIHYDROMYRCENOL (18479-58-8)

Listed on the Canadian DSL (Domestic Substances List)

3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)

Listed on the Canadian DSL (Domestic Substances List)

BENZYL BENZOATE (120-51-4)

Listed on the Canadian DSL (Domestic Substances List)

LINALOOL (78-70-6)

Listed on the Canadian DSL (Domestic Substances List)

LINALYL ACETATE (115-95-7)

Listed on the Canadian DSL (Domestic Substances List)

1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone (54464-57-2)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

CITRAL (5392-40-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Allyl (cyclohexyloxy)acetate (68901-15-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

DIHYDROMYRCENOL (18479-58-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

LINALOOL (78-70-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

LINALYL ACETATE (115-95-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone (54464-57-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

1-(2-tert.-Butyl cyclohexyloxy)-2-butanol (139504-68-0)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

15.3. US State regulations

⚠ WARNING:

This product can expose you to beta-myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16: OTHER INFORMATION

Full text of H-phrases:

H226	Flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H320	Causes eye irritation
H336	May cause drowsiness or dizziness
H373	May cause damage to organs through prolonged or repeated exposure

DISCLAIMER

Technical information and suggestions for use including any formulations and / or procedures are believed to be correct. However, this does not constitute a guarantee of the accuracy of the information contained herein. Confirming tests in your own laboratory or facility are recommended. This information is for general research purposes only and is not a representation or warranty of any kind. It is the user's responsibility to satisfy himself as to the suitability & completeness of such information for his own particular use. The information contained in this certificate of analysis and material safety data sheet are obtained from current and reliable sources. As the use(s) of this product is outside the control of skin foodie, no representation or warranty, expressed or implied is made as to the effect(s) of such use(s) (including damage or injury), or the results obtained.

Skin Foodie assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of use.

SKIN FOODIE